



**OPEN YOUR HOTEL TO A
NEW MINIBAR CONCEPT.**



EMS

5-STARS MINIBARS





★ QUALITY

For **EMS**, the quality of its minibars is the first objective of the company. All products manufactured by **EMS** must pass a thorough quality control system where every unit is tested independently.

★ PRICE

EMS Minibars are positioned in the market with the best quality/price ratio.

★ TECHNOLOGY

On top of quality and price, **EMS minibars** add a state-of-the-art technology in the manufacture of its components. The best international manufacturers, such as Benteler AG, Rehau, Invensys, Lyng Electronic A.S. and Dow Chemicals, collaborate with **EMS**.

★ DESIGN

Effective in their inside and attractive to look at, **EMS minibars** have a modern design which facilitates their installation and cleaning, and which can be adapted according to the taste and needs of the client.

★ WARRANTY

Furthermore, **EMS minibars** have a total quality warranty for a period of 5 years.

OUR FACILITIES




EMS' production plant is located in Manisa, one of the most important industrial areas of Turkey.

Equipped with the most modern facilities, and with an enlargeable area of 2000 m², **EMS** has a production capacity of 75,000 units per year, manufactured with the highest technology and a sophisticated system of absorption unit built in-house.



REFRIGERATION USING ABSORPTION TECHNOLOGY

The absorption technology with which **EMS minibars** are created –consisting of an aquatic solution of ammonia heated by an electric resistor in order to obtain a better and faster refrigeration- guarantees a silent night to your clients.



ENERGY SAVINGS

EMS minibars with electronic and auto-defrost thermostats use less energy than a conventional minibar.

Furthermore, **EMS minibars** offer the Fuzzy Logic temperature control system, enabling greater energy savings, with a constant inside temperature.

WHY ARE EMS MINIBARS BETTER ?

Wide inside volume:

The cooling plate of the minibar has been moved to the back, this way it can hold a larger amount of products.

Perforated steel covers:

The upper and lower sheets of the back cover are perforated to enable better ventilation.

Pre-installation of key lock:

The door is perforated and prepared for the simple and fast installation of the lock, even after the minibar is delivered to the hotel.

Greater insulation:


The reinforced insulation of the minibar's back part enables the hotel to save energy.

Heat-resistant plastic pieces:

All plastic used at the back part is heat-resistant.



Inside light:




Elevated feet: Feet twice as tall facilitate ventilation, especially when minibars are placed inside a furniture.

Easy cleaning: inside shelves and door trays are removable to facilitate the cleaning of the minibar.

Alternative hinge: If there is need for the door to be opened the opposite way, the alternative hinge for the door is at the back of the minibar for immediate access.

Easy installation: The minibars do not need a sophisticated installation. It is enough to provide the piece of furniture where they are going to be placed, with an air vent at the upper part and an air inlet at the bottom part to facilitate a correct ventilation.



CM-30 AD / CM-30 FL



Technical characteristics:

- Volume: 30 litres
- Height: 538 mm.
- Width: 402 mm.
- Depth: 420 mm.
- Power: 60 w.
- Voltage: 220/ 110 v.
- Weight: 14 kg.

CM-40 AD / CM-40 FL



Technical characteristics:

- Volume: 40 litres
- Height: 567 mm.
- Width: 436 mm.
- Depth: 432 mm.
- Power: 60 w.
- Voltage: 220/ 110 v.
- Weight: 16 kg.



CM-35 GAD / CM-35 GFL



Technical characteristics:

- Volume: 35 litres
- Height: 567 mm.
- Width: 436 mm.
- Depth: 432 mm.
- Power: 60 w.
- Voltage: 220/ 110 v.
- Weight: 16 kg.

CM-50 AD / CM-50 FL



Technical characteristics:

- Volume: 50 litres
- Height: 681 mm.
- Width: 436 mm.
- Depth: 432 mm.
- Power: 60 w.
- Voltage: 220 / 110 v.
- Weight: 18 kg.

**THE BEST HOTELS IN THE WORLD
ARE ALREADY COUNTING ON US**



Electronic Minibar Systems S.A.

Headquarters: Alonso de Bazán, 8 Edif. Diplomático 29600 Marbella (Málaga) Spain

Tel.: +(34) 95 286 70 79 / Fax: +(34) 95 282 29 38 / E-mail: info@ems-international.net